

Rhino II Vehicle Mount Computer

10", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, E3826 DC 4GB RAM, Win10 IoT	94R155625
10", CAP STD, VAC 110/230V Int Ant , 32GB (CFAST/SDHC), No WIFI, E3826 DC 4GB RAM, Win10 IoT	94R151625
10", CAP STD, VAC 110/230V Int Ant , 32GB CFAST, No WIFI, E3845 QC 4GB RAM, WES7E	94R151632
10", CAP STD, VDC 12-48V Ext. Ant. + UPS, 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, No OS	94R145237
10", CAP STD, VDC 12-48V Ext. Ant. + UPS, 64GB (CFAST), SparkLAN WNFQ-258ACN, E3845 QC 8GB RAM, Win10 IoT	94R142365
10", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R131225
10", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R131235
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, No OS	94R125237
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R125235
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Intel AC, E3845 QC 4GB RAM, Win10 IoT	94R122435
10", CAP STD, VDC 12-48V Int. Ant. + UPS, 32GB (CFAST/SDHC), Intel AC, E3845 QC 4GB RAM, Win10 IoT	94R121435
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, WES7P	94R115233
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R115235
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), SparkLAN WNFQ-258ACN, i5core 16GB RAM, Win10 IoT	94R111345
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7P	94R111233
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R112335
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, WES7E	94R112232
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R112235
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, WIN7 Pro	94R112234
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT	94R112265
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R112255
10", CAP STD, VDC 12-48V+UPS Int. Ant., 32GB, Summit PE15N, E3826 DC, No OS	94R121227
10", RES STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R212245
10", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E	94R201222
10", RES STD, VDC 24-48V Int. Ant., 32GB CFAST, Summit PE15N, AMD G-T40E, WES7E	94R201212
10", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7E	94R131232
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R121225

10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Intel AC, E3826 DC 4GB RAM, Win10 IoT	94R122425
10", CAP STD, VDC 12-48V Int. Ant. + UPS , 64GB (CFAST), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R122225
10", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R115245
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Laird M2SD50, QMX, WEC7	94R111101
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Sparklan WNFQ-258ACN, E3826 DC, WIN10 IoT	94R111325
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, AMD G-T40E, WES7E	94R111212
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, AMD G-T40E, WES7P	94R111213
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WES7P	94R111223
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WIN10 IoT	94R111225
10", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC, WIN10 IoT	94R111235
10", CAP STD, VDC 12-48V Int. Ant., 32GB , Summit PE15N, i5core 8GB RAM, WIN10 IoT	94R111255
10", CAP STD, VDC 12-48V Int. Ant., 32GB CFAST, Summit PE15N, E3826 DC 4GB RAM, WES7E	94R111222
10", CAP STD, VDC 12-48V Int. Ant., 32GB CFAST, Summit PE15N, E3845 QC 4GB RAM, WES7E	94R111232
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Intel AC, E3826 DC 4GB RAM, Win10 IoT	94R112425
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), SparkLAN WNFQ-258ACN, i5core 8GB RAM, Win10 IoT	94R112355
10", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R112225
10", CAP STD, VDC 12-48V Int. Ant., No Ext Card, Laird M2SD50, QMX, Android	94R110100
10", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Laird M2SD50, QMX, WEC7	94R101101
10", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WES7P	94R101223
10", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WIN10 IoT	94R101225
10", CAP STD, VDC 24-48V Int. Ant., 32GB , Summit PE15N, AMD G-T40E, WES7E	94R101212
10", CAP STD, VDC 24-48V Int. Ant., 32GB CFAST, Summit PE15N, E3826 DC 4GB RAM, WES7E	94R101222
10", CAP STD, VDC 24-48V Int. Ant., 32GB CFAST, Summit PE15N, E3845 QC 4GB RAM, WES7P	94R101233
10", CAP STD, VDC 24-48V Int. Ant., 32GB CFAST, Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R101235
10", CAP STD, VDC 24-48V Int. Ant., 32GB CFAST, Summit PE15N, i5core 16GB RAM, WES7P	94R101243
10", CAP STD, VDC 24-48V Int. Ant., 32GB CFAST, Summit PE15N, i5core 16GB RAM, Win10 IoT	94R101245
10", CAP STD, VDC 24-48V Int. Ant., 32GB, Intel AC, E3845 QC 4GB RAM, Win10 IoT	94R101435
10", RES STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E	94R231222

10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Laird M2SD50, QMX, WEC7	94R211101
10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R211225
10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R211235
10", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Unex Dnxa , AMD G-T40E, No OS	94R211517
10", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Laird M2SD50, QMX, WEC7	94R201101
10", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R201235
10", RES STD, VDC 24-48V Int. Ant., 64GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R202235
12", CAP HB, VDC 12-48V Int. Ant. + UPS , 32GB (CFAST/SDHC), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R721255
12", CAP HB, VDC 12-48V Int. Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R722255
12", CAP HB, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R715255
12", CAP HB, VDC 12-48V Int. Ant., 64GB (CFAST), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R712335
12", CAP HB, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R712245
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, E3845 QC 4GB RAM, No OS	94R555637
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, E3845 QC 4GB RAM, Win10 IoT	94R555635
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R555335
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R555235
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 240GB (SSD), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R545255
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 32GB CFAST, Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R541225
12", CAP STD, VDC 12-48V Ext. Ant., 240GB (SSD), Intel AC, E3845 QC 4GB RAM, No OS	94R535437
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB Summit PE15N, E3826 DC, Win10 IoT	94R521225
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Intel AC, E3845 QC 4GB RAM, No OS	94R515437
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R515245
12", CAP STD, VDC 12-48V Int. Ant., 240GB (SSD), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R515255
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), SparkLAN WNFQ-258ACN, i5core 8GB RAM, Win10 IoT	94R511355
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R511235
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R512255
12", RES STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E	94R631222
12", RES STD, VDC 12-48V Int. Ant., 64GB (CFAST), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R612335


12", RES STD, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R612225
12", CAP HB, VDC 12-48V Int. Ant., 64GB (CFAST), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R712235
12", CAP STD, 12-48VDC + UPS, Win10 IoT Enterprise Quad Core/1.91Ghz processor, 4GB DRAM, 64GB CFast, Laird PE15N: 802.11a/b/g/n WiFi, BT 4.0, DC Pwr Cable	94R522235
12", CAP STD, VAC 110/230V Int Ant , 240GB (SSD), No WIFI, i5core 16GB RAM, Win10 IoT	94R555655
12", CAP STD, VDC 12-48V + UPS Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC(*), WIN7 Pro	94R521224
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 32GB (CFAST/SDHC), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R541245
12", CAP STD, VDC 12-48V Ext. Ant. + UPS, 64GB, Summit PE15N, E3845 QC 4GB RAM, WES7E	94R542232
12", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, Win10 IoT	94R531225
12", CAP STD, VDC 12-48V Ext. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT	94R531265
12", CAP STD, VDC 12-48V Ext. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R532245
12", CAP STD, VDC 12-48V Ext. Ant., 64GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R532255
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 128GB (CFAST), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R523255
12", CAP STD, VDC 12-48V Int. Ant. + UPS , 32GB Summit PE15N, E3845 QC, Win10 IoT	94R521235
12", CAP STD, VDC 12-48V Int. Ant., 128GB (CFAST), Summit PE15N, i5core 8GB RAM, Win10 IoT	94R513255
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Laird M2SD50, QMX, WEC7	94R511101
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Sparklan WNFQ-258ACN, E3826 DC, WIN10 IoT	94R511325
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R511335
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC(*), WIN7 Pro	94R511224
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WES7P	94R511223
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WIN10 IoT	94R511225
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 8GB RAM, Win10 IoT	94R511265
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, i5core 16GB RAM, Win10 IoT	94R511255
12", CAP STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, i5core 5350 16GB RAM, Win10 IoT	94R511245
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), Intel AC, i5core 16GB RAM, Win10 IoT	94R512445
12", CAP STD, VDC 12-48V Int. Ant., 64GB (CFAST), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R512335
12", CAP STD, VDC 12-48V Int. Ant., 64GB, Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R512235
12", CAP STD, VDC 12-48V Int. Ant., No Ext Card, Laird M2SD50, QMX, Android	94R510100
12", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Laird M2SD50, QMX, WEC7	94R501101




12", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WES7P	94R501223
12", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC, WIN10 IoT	94R501225
12", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7E	94R501232
12", CAP STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R501235
12", RES STD, VDC 12-48V Int. Ant., 240GB SSD, Summit PE15N, i5core 16GB RAM, Win10 IoT	94R615245
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, WES7E	94R611232
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC 4GB RAM, Win10 IoT	94R611245
12", RES STD, VDC 12-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3845 QC, WIN10 IoT	94R611235
12", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), SparkLAN WNFQ-258ACN, E3845 QC 4GB RAM, Win10 IoT	94R601335
12", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, AMD G-T40E, WES7E	94R601212
12", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Unex Dnxa , E3826 DC 4GB RAM, Linux	94R601526
94R142B20 - SB 94R142255 10", CAP STD, VDC 12-48V Ext Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 4GB RAM, Win10 IoT	94R142B20
94R522B30 - SB 94R522255 12", CAP STD, VDC 12-48V Int. Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 4GB RAM, Win10 IoT	94R522B30
94R542B40 - SB 94R542255 12", CAP STD, VDC 12-48V Ext Ant. + UPS, 64GB (CFAST), Summit PE15N, i5core 4GB RAM, Win10 IoT	94R542B40
Edeka Special - 10", CAP STD, VDC 24-48V Int. Ant., 32GB, Summit PE15N, E3826 DC, WES7P	94R101E01
Edeka Special - 10", CAP STD, VDC 24-48V Int. Ant., 32GB, Summit PE15N, E3826 DC, WES7P	94R101E02
SS5534 - 94R201222 10", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E	94R201ZT3
SS5543 - 94R201222 10", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E	94R201ZT2
SS5543 - 94R201222 10", RES STD, VDC 24-48V Int. Ant., 32GB (CFAST/SDHC), Summit PE15N, E3826 DC 4GB RAM, WES7E	94R201ZT4



EASEOFCARE AGREEMENTS	
RHINO II EOFC OVERNIGHT REPLACEMENT COMPREHENSIVE, 3 YEARS	ZSC1RH231
RHINO II EOFC OVERNIGHT REPLACEMENT COMPREHENSIVE, RENEWAL	ZSC1RH2C1
RHINO II WEC7 TO ANDROID CONVERSN CHARGE	ZR0RH2OSA
RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 1 YEAR RENEWAL	ZSC2RH2R1
RHINO II, EOFC 2 DAYS, COMPREHENSIVE, 3 YEARS	ZSC2RH231
RHINO II, EOFC 5 DAYS, 1 YEAR RENEWAL	ZSN5RH2R1
RHINO II, EOFC 5 DAYS, 3 YEARS	ZSN5RH231




BATTERIES/BATTERY CHARGERS	
UPS Battery Backup with Speaker (requires technician for field installation) Order together with device (NOT for SH21 Blackline) to be installed at the factory	94ACC0164

CABLES	
EXTERNAL ANTENNA CABLE AND DOME ANTENNA	94ACC0264
Screen Blanking RS232 Cable	94ACC0157

MISCELLANEOUS		
	External Keyboard, QWERTY layout	95ACC1330
24 Key - right side mount keyboard (10 key layout + F1-F6)		94ACC0158
Antenna Cover without antennas (No Wifi option)		94ACC0279
Antenna Top Cover		94ACC0278
Antenna Top Cover Deutsch Poste		94ACC0273
	Antenna, Roof Mount Dome, 4 dBi, 2.4 to 5.9 GHz, top cover, 3m cable (certified for 10â€³ models only)	94ACC0163
Bracket - Metal holder for 24 key keyboard		94ACC0265
Cable Cover IP65, with single USB		94ACC0174
	Cable Cover, 5 poles, w 2.9m power cable (for quick disconnect)	94ACC0173
CFast 128 GB industrial		94ACC0269
CFast 32 GB industrial		94ACC0267
CFast 64 GB industrial		94ACC0268

	Compact Keyboard, External, QWERTY layout	94ACC1374
	External Keyboard, ABCD layout	95ACC1331
External Keyboard, QWERTZ layout		94ACC0287
i5Core RAM Expansion 16GB		94ACC0283
i5Core RAM Expansion 8GB		94ACC0282
	Speaker Cable Cover	94ACC0160
SSD Solid State Disc industrial 150 GB		94ACC0271
SSD Solid State Disc industrial 240 GB		94ACC0270
Top Cover for LTE WWAN USB & Dual Antennas		94ACC0159

MOUNTS/STANDS		
Amber Foot (Berstein Fuss)		94ACC0281
Fixed Mounting Bracket - 130 degrees for 10/12/15 in		94ACC0172
	Keyboard External Mounting Bracket (full size keyboard)	94ACC0155
Quick Change V-Mount (Rhino II/SH15 only)		94ACC0175
	RAM MOUNT 4" rail base (D Size, 2.25in) (Rhino II/SH15 only)	94ACC0035
RAM Mount C Size Arm 12cm, E,E		94ACC0285
RAM Mount D Size Arm 21cm, E,R		94ACC0284

	RAM Mount with round base (D Size, 2.25in)(Rhino II/SH15 only)	94ACC0034
	Scanner holder (right side)	94ACC0156
Scanner Holder LS36, DS36		94ACC0266
	Vehicle Mounting Bracket - 10 degrees for 10/12 in	94ACC0154
Vesa Holder mobile		94ACC0280

POWER SUPPLIES/CORDS	
AC/DC Power Brick, 24VDC to 110/230VAC (requires IEC line cord) (Rhino II/SH15 only)	94ACC0161
Bluetooth USB Dongle	94ACC0286
DC Power Cable, 2.9 meters (included with main unit) (included with Rhino II/SH15 DC main unit)	94ACC0165
Power Converter: 72-110 VDC input; 15VDC output (requires 12-24VDC industrial computer)	94ACC0041

SOFTWARE	
DATALOGIC-STAYLINKED MULTI SMART TE ANNUAL MAINTENANCE	94A101124
DATALOGIC-STAYLINKED MULTI SMART TE LICENSE WITH 1 YEAR MAINTENANCE	94A101123
DATALOGIC-STAYLINKED SINGLE SMART TE ANNUAL MAINTENANCE	94A101122
DATALOGIC-STAYLINKED SINGLE SMART TE LICENSE WITH 1 YEAR MAINTENANCE	94A101121
SOTI MobiControl On Premise Perpetual License (per device). Must purchase at least Standard Support with it. Only available for Add-Ons.	94ACC0179
Wavelink Velocity TE Android - License, incl. 1st yr maintenance	95A101135
WAVELINK VELOCITY TE ANDROID 1 YEAR MAINTENANCE	ZSS5VELTE1
Wavelink Velocity Web Android - License, incl. 1st yr maintenance	95A101136
WAVELINK VELOCITY WEB ANDROID 1 YEAR MAINTENANCE	ZSS5VELWM1
Win10 License for upgrade Rhino AMD/ATOM	94ACC0293
Win10 License for upgrade Rhino Intel i5 core	94ACC0294
