

ShareCradle System  
4 Slot Charge only



4-Slot Battery Charger



Single-Slot Docking Solutions  
(Charge only or with I/O's)



Rugged Charge Connector



Rugged Frames



Expansion Back +  
Rotating Hand Strap



Operations Case



SE4750 and SE4710  
Expansion Back +  
Rotating Hand Strap



Breakaway shoulder  
strap



Handle

Optional PowerPack  
Battery



Large Internal batteries



Screen Protector



Active Stylus

**Discontinued**



D-Clips

*Introducing the ShareCradle System:  
Terminal & Terminal Spare Battery “Cups” designed to be shared across suite  
of Charge Only bases providing flexible & future proofed solutions.*



## 4-Slot ShareCradle



**CRD-ET5X-SE4C01-01**

ET5X 4-Slot Charge Only

- Solution for either: 4 x ET5X or 4x ET5X + 4x Optional Battery
- ShareCradle is rack mountable (19inch Rack Mounting accessory required) and can be wall mounted or used on a tabletop.
  - Option to mount and power a 4-Slot Battery Charger off of a separate battery charger power supply.

## 4-Slot Optional Battery PowerPack Toaster



**SAC-ET5X-4PPK1-01**

ET5X 4-Slot Battery Charge  
for Optional battery  
PowerPack

- Drop in 4-Slot Battery charger w/ LEDs to indicate Charge State
- Can be docked in 4-slot Cradle via adapter cup (requires its own battery charger power supply)
- Can be used as a standalone charger requiring its own Power Supply and AC Line Cord

**!** *4-Slot Cradles require power supply PWR-BGA12V108W0WW, DC Line Cord, CBL-DC-382A1-01 & country specific AC Line Cord sold separately*



**!** *4-Slot Toasters require power supply PWR-BGA12V50W0WW, CBL-DC-388A1-01 & country specific AC Line Cord sold separately*



- !**
- *ShareCradle can accept ET5x Tablets with Rugged Frame and Non Rugged Frame*
  - *ShareCradle also accepts ET5x Tablets with Expansion Backs*

## Charge Only 1-Slot Dock



CRD-ET5X-1SCG1

ET5X 1-Slot Charge Only Dock

- Supports Charging with and without Rugged Frames
- Shim allows charging without a Rugged Frame, will only work with exposed consumer connector

**Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately**



CHG-ET5X-CBL1-01

Rugged Charge Connector (Charge dongle)

- Rugged charge cable breaks away to prevent tablet damage
- DC barrel input on the side

**Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately**

## Charge/Communication 1-Slot Dock



CRD-ET5X-1SCOM1

ET5X 1-Slot Charge and Communication Dock

- Charges and extends I/O for: HDMI, Ethernet & 3 USB 3.0 ports
- Shim allows charging without Rugged Frame, will only work with exposed consumer connector

**Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately**



CRD-ET5X-1SCOM1R

1-Slot Dock with Rugged IO Adapter

- Charges & extends Rugged I/O for HDMI, Ethernet, 3 USB 3.0 Ports
- Only works with Rugged Frame with Rugged IO Connector

**Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately**

- ! • **Can be used with Expansion Back on the Tablet.**
- **One of these four solutions or a ShareCradle is required for tablet charging.**

## Straps & D-Clips



**SG-ET5X-SHDRSTP-01**

Break away Shoulder Strap

**SG-ET5X-HNDSTP-01**

Handle strap



**SG-ET5X-DCLIP-01**

2 D-Clips that screw to the rugged frame



- D-clips allow the attachment of straps to the rugged frame via the screw points on the back
- Break away shoulder strap has a safety feature near the clip that releases when pulled
- Handle strap provides ease of carrying the tablet with plastic grips

## 8" & 10" Rugged Frames



**SG-ET5X-8RCSE2-02**

8" Rugged Frame with Rugged IO (Included)



**SG-ET5X-10RCSE2-01**

10" Rugged Frame with Rugged IO (Included)

- Improves drop 1.8 meters (6') to concrete
- Sealed I/O connector replaces bottom dust cover
- Screw points on back to attach hand and shoulder straps
- Will work with Expansion Backs

## 8" & 10" Operations Case



**SG-ET5X-8HLST-01**

Operational Case – 8"



**SG-ET5X-10HLST-01**

Operational Case - 10"

- Supports tablet without rugged frame
- Made of a leather
- Pen loop for stylus
- Clip points in 4 corners supports addition of
  - Hand strap (sold separately)
  - Shoulder strap (sold separately)
- Universal D clip mounting points can accommodate additional accessories
- Will work with Expansion Backs

## 8" & 10" Expansion Back (No Scan)



**ZBK-ET5X-8RH1-01**

8" Expansion Back  
Accessory + rotating  
Hand Strap (Optional  
Battery sold separately)

**ZBK-ET5X-10RH1-01**

10" Expansion Back  
Accessory + rotating  
Hand Strap (Optional  
Battery sold separately)

- Expansion back screws to back of tablet when battery door is removed
- Rotating Hand Strap base
- Optional PowerPack battery (sold separately)

## 8" & 10" 4750 / 4710 Expansion Backs



**ZBK-ET5X-8SCN5-01 (Win)**  
**ZBK-ET5X-8SCN5-02 (ANDR)**

8" SE4750 Expansion Back  
Accessory + rotating Hand strap  
(Optional Battery sold separately)

**ZBK-ET5X-10SCN5-01 (Win)**  
**ZBK-ET5X-10SCN5-02 (ANDR)**

10" SE4750 Expansion Back  
Accessory + rotating Hand strap  
(Optional Battery sold separately)

- Expansion back screws to back of tablet when battery door is removed
- Workers can capture 1-D and 2-D bar codes in virtually any condition, at lightning speed via Laser aimer
- Rotating Hand Strap base and Integrated Scanner
- Optional PowerPack battery (sold separately)



**ZBK-ET5X-8SCN1-01 (Win)**

8" SE4710 Expansion Back  
Accessory + rotating Hand strap  
(Optional Battery sold separately)

**ZBK-ET5X-10SCN1-01 (Win)**

10" SE4710 Expansion Back  
Accessory + rotating Hand strap  
(Optional Battery sold separately)

- Expansion back screws to back of tablet when battery door is removed
- Workers can capture 1-D and 2-D bar codes via LED aimer (Indoor use)
- Rotating Hand Strap base and Integrated Scanner
- Optional PowerPack battery (sold separately)

## Optional PowerPack Battery



**BTRY-ET5X-PRPK1-01**

Optional Battery PowerPack  
24.4Wh of additional charging capacity  
(3400mAh @ 7.2V)

- Hot swappable enables 24x7 usage
- Can be used in addition to the main battery capacity
- Designed for use with optional Expansion Back
- Will be charged with 4-slot battery charger
- Will be charged when tablet + expansion back is docked in 1-slot dock or ShareCradle
- “Gas Gauge” LED to display the amount of charge

## 8”&10” Internal Battery for ET50 / ET55



**BTRY-ET5X-8IN1-01**

8” Internal Battery, 5900 mAh

- 5-6 hrs continuous WLAN usage with display on
- 4-5 hrs continuous WAN usage with display on



**BTRY-ET5X-10IN1-01**

10” Internal Battery, 8700 mAh

- 8-9 hrs continuous WLAN usage with display on
- 7-8 hrs continuous WAN usage with display on

## Stylus Options



**Discontinued: KT-ET5X-ASTY1-01 (WIN, 10" only)**  
**KT-ET5X-ASTY2-01 (ANDR)**

Active Stylus

- Pen tip supports 256 levels of pressure detection
- Runs on one AAAA battery
- Supports palm rejection
- Will work when water is on the display
- NOTE: will not work in screen areas where water is pooled



**SG-ET5X-SLTETR-01**

Stylus coil tether

- The coiled tether provides a convenient method to keep your tablet and pen together without compromising your usage experience.

## 8" & 10" Screen Protectors w & w/o Rugged frames



**KT-ET5X-8SCRN1-01**

**KT-ET5X-10SCRN1-01**

Screen Protector – 8"

Screen Protector – 10"

- Screen protector will be film overlay
- Protects the screen from hazing, scratching, cracking



**KT-ET5X-8SCRN1-02**

**KT-ET5X-8SCRN1-02**

8" Screen Protector Used w/  
Rugged Frame only

8" Screen Protector Used w/  
Rugged Frame only

- Screen protector will be film overlay
- Protects the screen from hazing, scratching, cracking
- Will fit specifically in the Rugged Frames



3<sup>rd</sup> party designed, sold and serviced. Zebra does not sell / not formally tested.

## GJ Rugged Mounting Cradles



- Designed by Gamber Johnson to support rugged mounting needs such use on a fork lift; Offered through Gamber Johnson and their reseller network, not Zebra catalog part, Listing can be found at: <https://www.gamberjohnson.com/products/docking-stations-cradles#manufacturer-127=680>
- Port replications for Ethernet RJ45, USB, HDMI, and power input
- Key lockable, VESA 75mm mounting pattern, clamps secure the tablet
- Will only work with rugged frame tablets, compatible with accessories like expansion back with scanner and optional power pack battery
- Keyboard mount offered to support iKey keyboards

## ProClip Mounting Cradles



- The mounting cradle is designed by ProClip and are offered through ProClip / Brodit channels and their reseller network, not a Zebra catalog part, listing can be found at: <http://www.proclipusa.com/tablet-holders/device/zebra.cmsv>
- Charge and mount options available
- Key lock option supported
- Rugged frame and non-rugged frame tablets options are available
- 8" and 10" versions