



Zebra accessory guide

TC201

Rugged mobile computing reimaged
for the AI-powered frontline



Table of Contents

Accessories that power devices

Cradles

Single-slot ShareCradles	4
Multi-slot ShareCradles Kits	6
Multi-slot ShareCradles	8
Legacy ShareCradle Cups	10
ShareCradle Components	11
Mounting Options for Chargers	12

Batteries

Spare Li-ion Batteries	14
Spare Battery Chargers	15

Power Supplies, Cables, and Adapters

Power Supply and Cable Matrix	17
Country-Specific AC Line Cords	18
Cables, and Adapters	19

Accessories that protect devices

Soft Goods

Rugged Boot, Hand Strap, and Screen Protector	21
Soft Holster, Stylus, and Tether	22

Accessories that enable productivity solutions

Trigger Handles

Electronic Trigger Handle and Wrist Strap	24
---	----

Wearable Mounts

Wrist Mounts	26
Replacement Single BOA Wrist Strap, Arm Sleeve	27
Replacement Wrist Strap, Comfort Pad	28

Headsets

Wired Headsets and Accessories for Workforce Connect	30
Wireless Headsets and Accessories for Voice-Directed Picking	31

Workstation Connect Cradle

Workstation Connect Cradle	34
--	----

Third Party Accessories

RAM Pogo Pin Docks	36
ProClip Vehicle Cradles	37

Cradles

[Single-slot ShareCradles](#)

[Multi-slot ShareCradles Kits](#)

[Multi-slot ShareCradles](#)

[Legacy ShareCradle Cups](#)

[ShareCradle Components](#)

[Mounting Options for Chargers](#)

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adapters](#)
[Soft Goods](#)
[Trigger handle](#)
[Wearable
Mounts](#)
[Headsets](#)
[Workstation
Connect Cradle](#)
[Third Party
Accessories](#)
[Back to Table of
Contents](#)

Item/SKU#

Description

One-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 D**



TC201 Standard-Charging ShareCradle for a Single Device.

- Device with standard battery charges from 0–90% in about 1 hour and 20 mins.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adapter [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region) ([listed later in this document](#)).

One-Device Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 DE**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 DE**



TC201 Ethernet ShareCradle for a Single Device.

- Device with standard battery charges from 0–90% in about 1 hour and 20 mins.
- Connects to charge contacts and USB-C port on the bottom of the device.
- There is an Ethernet Port, and spare USB-C port.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adapter [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region) ([listed later in this document](#)).

Two-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-2D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-2D**



TC201 Charge-Only ShareCradle for Two Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adapter [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region) ([listed later in this document](#)).

Single-slot ShareCradles

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Workstation](#)
[Connect Cradle](#)

[Third Party](#)
[Accessories](#)

[Back to Table of](#)
[Contents](#)

Item/SKU#

Description

One-Device & One-Battery ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 D1 B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 D1 B**



TC201 Charge-Only ShareCradle for a Single Device and its Spare Battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adapter [SKU# PWR-WUA5V45W1XX](#) (Replace 'XX' in SKU to get the right plug style based on region) ([listed later in this document](#)).

One-Device & One Battery Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 D1 BE**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 D1 BE**



TC201 Ethernet ShareCradle for a Single Device and its Spare Battery.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There is an Ethernet Port, and spare USB-C port.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Sold separately: USB-C Cable [SKU# CBL-EC5X-USBC3A-01](#), and Country-Specific Power Adapter [SKU# PWR-WUA5V45W1XX](#) ('XX' in SKU to get the right plug style based on region) ([listed later in this document](#)).

Multi-Slot ShareCradles Kits

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Five-Device ShareCradle Kit Devices WITH a rugged boot: SKU# CRD-TCVTB-5D-1 Devices WITHOUT a rugged boot: SKU# CRD-TCVT-5D-1 	TC201 Fast-Charging ShareCradle for Five Devices. • Device with standard battery charges from 0–90% in about 1½ hours. • Connects to charge contacts on the bottom of the device. • Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW • Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. • Sold Separately: Country-Specific AC Line Cord (listed later in this document).
Five-Device Ethernet ShareCradle Kit Devices WITH a rugged boot: SKU# CRD-TCVTB-5DE-1 Devices WITHOUT a rugged boot: SKU# CRD-TCVT-5DE-1 	TC201 Ethernet ShareCradle for Five Devices. • Device with standard battery charges from 0–90% in about 1½ hours. • There are two Ethernet Ports. • Connects to charge contacts and USB-C port on the bottom of the device. • Includes: Power Supply with Attached DC Cable SKU# PWR-BGA12V150W1WW • Can be mounted on a standard 19-inch rack system using mounting bracket SKU# BRKT-SCRD-SMRK-01. • Sold Separately: Country-Specific AC Line Cord (listed later in this document).

Multi-Slot ShareCradles Kits

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adapters](#)
[Soft Goods](#)
[Trigger handle](#)
[Wearable
Mounts](#)
[Headsets](#)
[Workstation
Connect Cradle](#)
[Third Party
Accessories](#)
[Back to Table of
Contents](#)

Item/SKU#

Description

Five-Device & Five-Battery ShareCradle Kit

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D5B-1**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5D5B-1**



TC201 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Includes: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#).
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Country-Specific AC Line Cord ([listed later in this document](#)).

1 0-Device ShareCradle Kit

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 0D-1**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 0D-1**



TC201 Charge-Only ShareCradle for 1 0 Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Includes: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#).
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Country-Specific AC Line Cord ([listed later in this document](#)).

Multi-Slot ShareCradles

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#

Description

Five-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5D**



TC201 Fast-Charging ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord ([listed later in this document](#)).

Five-Device Ethernet ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5DE**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5DE**



TC201 Ethernet ShareCradle for Five Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- There are two Ethernet Ports.
- Connects to charge contacts and USB-C port on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord ([listed later in this document](#)).

Multi-Slot ShareCradles

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adapters](#)
[Soft Goods](#)
[Trigger handle](#)
[Wearable
Mounts](#)
[Headsets](#)
[Workstation
Connect Cradle](#)
[Third Party
Accessories](#)
[Back to Table of
Contents](#)

Item/SKU#

Description

Five-Device & Five-Battery ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-5D5B**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-5D5B**



TC201 Charge-Only ShareCradle for Five Devices and Five Spare Batteries.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord ([listed later in this document](#)).

1 0-Device ShareCradle

Devices WITH a rugged boot:

SKU# **CRD-TCVTB-1 0D**

Devices WITHOUT a rugged boot:

SKU# **CRD-TCVT-1 0D**



TC201 Charge-Only ShareCradle for 1 0 Devices.

- Device with standard battery charges from 0–90% in about 1½ hours.
- Connects to charge contacts on the bottom of the device.
- Can be mounted on a standard 19-inch rack system using mounting bracket [SKU# BRKT-SCRD-SMRK-01](#).
- Sold Separately: Power Supply with Attached DC Cable [SKU# PWR-BGA12V150W1WW](#), and Country-Specific AC Line Cord ([listed later in this document](#)).

Legacy ShareCradle Cups

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Workstation](#)
[Connect Cradle](#)

[Third Party](#)
[Accessories](#)

[Back to Table of](#)
[Contents](#)

Item/SKU#

Description

One-Device Replacement ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-TC2L1 CB-01**

Devices WITHOUT a rugged boot:
SKU# **CRDCUP-TC2L1 C-01**



TC201 Replacement Charge-Only Device Cup for One Device

- Enables the use of TC201 devices with Legacy ShareCradles by replacing the existing TC21x / TC26x series device cup.
- Includes a pre-installed TC201 shim.

Five-Device Replacement ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-TC2L5CB-01**

Devices WITHOUT a rugged boot:
SKU# **CRDCUP-TC2L5C-01**



TC201 Replacement Charge-Only Device Cup for Five Devices

- A set of five Charge-Only ShareCradle Cups.
- Enables the use of TC201 devices with Legacy ShareCradles by replacing existing TC21x / TC26x series device cup.
- Includes pre-installed TC201 shims.

One-Device Replacement Ethernet ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-TC2L1 EB-01**

Devices WITHOUT a rugged boot:
SKU# **CRDCUP-TC2L1 E-01**



TC201 Replacement Ethernet Device Cup for One Device

- Enables the use of TC201 devices with Legacy ShareCradles by replacing the existing TC21x / TC26x series device cup.
- Includes a pre-installed TC201 shim.

Five-Device Replacement Ethernet ShareCradle Cup

Devices WITH a rugged boot:
SKU# **CRDCUP-TC2L5EB-01**

Devices WITHOUT a rugged boot:
SKU# **CRDCUP-TC2L5E-01**



TC201 Replacement Ethernet Device Cup for Five Devices

- A set of five Ethernet ShareCradle Cups.
- Enables the use of TC201 devices with Legacy ShareCradles by replacing the existing TC21x / TC26x series device cup.
- Includes pre-installed TC201 shims.

ShareCradle Components

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adapters](#)
[Soft Goods](#)
[Trigger handle](#)
[Wearable
Mounts](#)
[Headsets](#)
[Workstation
Connect Cradle](#)
[Third Party
Accessories](#)
[Back to Table of
Contents](#)

Item/SKU#	Description
TC201 Holder SKU# HLD-TCVTB-01 	TC201 Holder for Devices WITH a rugged boot, Included in all ShareCradles designed for devices with a rugged boot.
TC201 Holder SKU# HLD-TCVT-01 	TC201 Holder for Devices WITHOUT a rugged boot, Included in all ShareCradles designed for devices without a rugged boot.
Ethernet Single-Slot ShareCradle Base SKU# CRD-ETHSNGLBASE-01 	Ethernet Single-Slot ShareCradle Base Included in all single-slot Ethernet ShareCradle Configurations.
Standard-Charging ShareCradle Base SKU# CRD-SCBASE-01 	Standard-Charging ShareCradle Base Included in all multi-slot ShareCradles configurations except for the Ethernet models.
Ethernet ShareCradle Base SKU# CRD-ETHBASE-01 	Ethernet ShareCradle Base Included in the multi-slot Ethernet ShareCradle configurations.

Mounting Options for Chargers

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adapters](#)
[Soft Goods](#)
[Trigger handle](#)
[Wearable
Mounts](#)
[Headsets](#)
[Workstation
Connect Cradle](#)
[Third Party
Accessories](#)
[Back to Table of
Contents](#)

Item/SKU#

Description

Mounting Bracket

SKU# **BRKT-SCRD-SMRK-01**



Use five-slot ShareCradle mounting bracket to attach five- slot TC201 cradles to the wall or mount on a 1 9-inch server rack.

- Offers cable routing slots and removable tray that stores / conceals power supply.
- Adjustable orientations:
25° angle for high-density (multi-slot chargers).
Horizontal (single-slot or four-slot spare Li-ion charger).
- Four 4-slot spare battery chargers can be mounted as shown with mounting bracket.
- Compatible with all multi-slot ShareCradles for TC201.
- Use to mount to wall or with standard 19-inch server rack for more density and save space.

Batteries

[Spare Li-ion Batteries](#)

[Spare Battery Chargers](#)

Batteries

Spare Li-ion Batteries

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Standard Capacity Battery SKU# BTRY-TC2L-2XMAXX-01 	3,800 mAh Standard Capacity Battery with PowerPrecision - Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards. - Obtain advanced battery state of health information including charge level and battery age based on usage patterns.
Extended Capacity Battery SKU# BTRY-TC2L-3XMAXX-01 	5,200 mAh Extended Capacity Battery with PowerPrecision - Premium-grade battery cells with longer lifecycle and tested to meet rigorous controls and standards. - Obtain advanced battery state of health information including charge level and battery age based on usage patterns.

Batteries

Spare Battery Charger

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Spare Battery Charger SKU# SAC-TCVT-4B 	Spare Battery Charger to Charge any Four TC201 Li-ion batteries. - Can be used standalone or up to 4 chargers can be mounted on Mounting Bracket SKU# BRKT-SCRD-SMRK-01. - Sold separately: USB-C Cable SKU# CBL-EC5X-USBC3A-01, and Country-Specific Power Adapter SKU# PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region) (listed later in this document).

Power Supply, Cables, and Adapters

[Power Supply and Cable Matrix](#)

[Country-Specific AC Line Cords](#)

[Cables, and Adapters](#)

Power Supply, Cables and Adapters

Power Supply and Cable Matrix

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

SKU#		Description	Notes
PWR-BGA12V150W1WW		Level VI AC/DC power supply brick. AC Input: 100–240V, 2.5A. DC Output: 12V, 12.5A, 150W.	Sold Separately. To be used with Country-Specific AC Line Cords.
CBL-EC5X-USBC3A-01		USB-C to USB-C Communications and Charging Cable, 1M Long, Support 3.0 support speed and fast charge.	Sold separately. Used with PWR-WUA5V45W1XX (Replace 'XX' in SKU to get the right plug style based on region)
PWR-WUA5V45W1US		USB type C power supply adapter with United States plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1EU		USB type C power supply adapter with European Union plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1GB		USB type C power supply adapter with United Kingdom plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1AU		USB type C power supply adapter with Australia plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1CN		USB type C power supply adapter with China plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1KR		USB type C power supply adapter with Korea plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1AR		USB type C power supply adapter with Argentina plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V45W1BR		USB type C power supply adapter with Brazil plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to charge device.
PWR-WUA5V12W1IN		USB type C power supply adapter with India plug. USB PD 3.1 power supply with an input of 100-240VAC and a self-adjusting output ranging from 5V/3A to 20V/2.25A.	Sold separately. Used with USB-C to USB-A Cable (CBL-TC5X-USBC2A-01) to charge device.

Power supply, cables and adapters

Country-specific AC line cords, Grounded 3-Prong

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

SKU#	Description	
23844-00-00R		North America (United States, Canada, Mexico) Commonly used with chargers mounted in server racks; 7.5 feet long
50-16000-678R		North America (United States, Canada, Mexico) 0.9 meters (3 feet) long
50-16000-221R		North America (United States, Canada, Mexico) 1.8 meters (6 feet) long
50-16000-727R		Brazil 1.8 meters (6 feet) long
50-16000-680R		Argentina 1.8 meters (6 feet) long
50-16000-217R		American Samoa, Australia, New Guinea 1.8 meters (6 feet) long
50-16000-218R		Japan 1.8 meters (6 feet) long
50-16000-219R		Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales 1.8 meters (6 feet) long
50-16000-257R		China 1.8 meters (6 feet) long
50-16000-220R		Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam 1.8 meters (6 feet) long
50-16000-671R		Italy 1.8 meters (6 feet) long
50-16000-669R		India, South Africa, Africa 1.8 meters (6 feet) long

Power supply, cables and adapters

Cables, and Adapters

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Cigarette lighter adapter plug

SKU# CHG-AUTO-USB1 -01



Cigarette lighter adapter plug

- Used with USB C Cable [SKU# CBL-TC5X-USBC2A-01](#) (sold separately) to provide in-vehicle charging.
- Includes two USB-A ports providing higher current (5V, 2.5A) for faster charging.

HS21 00 Standard cable

SKU# CBL-HS21 00-3MS1 -01



HS21 00 Standard cable

- 3.5mm barrel jack connector with cable length 43 inches or 1.1 meters.
- For use with TC201 or other devices using a 3.5mm barrel jack audio connector. Requires [SKU# ADP-USBC-35MM1-01](#).
- Rugged cable with rugged connectors that are keyed / collared for a locking failsafe connection.
- Includes one clothing clip. Additional clips can be purchased separately.

Snap-On USB Charge-Only Cable Adapter

SKU# ADPTR-TC2L-USBC-01



Snap-On USB Charge-Only Cable Adapter

- Connects to charge contacts on the bottom of the device.
- Only provides charging supports, no USB communication.
- Compatible with devices with rugged boots by removing the shim.
- Cable length is 7 inches (17.78 cm).

Soft Goods

[Rugged Boot, Hand Strap, and Screen Protector](#)

[Soft Holster, Stylus, and Tether](#)

Rugged Boot, Hand Strap, and Screen Protector

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#

Description

Rugged Boot

SKU# **SG-TCVT-BOOT-01**



TC201 Rugged Boot

- Boot increases drop specification of device to 6 feet to concrete.
 - Compatible with devices using Standard or Extended Capacity battery.
 - Compatible with Hand Strap.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Hand Strap

SKU# **SG-TC2L-HSTRP1 -01**



TC201 Hand Strap

- Allows device to be easily held in palm of hand.
 - Attaches directly to device, even with rugged boot installed.
 - Includes loop for holding optional stylus.
 - Sold separately: Rugged boot [SKU #SG-TCVT-BOOT-01](#).
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Screen Protector

SKU# **SG-TCVT-SCRNPT-01**



TC201 Screen Protector

- Screen protector - Tempered glass.
 - Includes alcohol wipes, cleaning cloth, and instructions needed for screen protector installation.
 - Also available as a 3-pack — 3 screen protectors — [SKU# SG-TCVT-SCRNP-03](#).
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Soft Holster, Stylus, and Tether

[Cradles](#)
[Batteries](#)
[Power Supplies,
Cables and
Adapters](#)
[Soft Goods](#)
[Trigger handle](#)
[Wearable
Mounts](#)
[Headsets](#)
[Workstation
Connect Cradle](#)
[Third Party
Accessories](#)
[Back to Table of
Contents](#)

Item/SKU#

Description

Soft Holster

SKU# **SG-TC2L-HLSTR1-01**



TC201 Soft Holster

- Vertical orientation with open bucket design to accommodate TC201 with optional pistol-grip trigger handle, and / or hand strap.
- Compatible with rugged boot [SKU# SG-TCVT-BOOT-01](#), hand strap [SKU# SG-TC2L-HSTRPI-01](#), and all batteries.
- Nonrotating for maximum durability.
- Holster is leather material and includes cut-out for speaker output.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Stylus

SKU# **SG-STYLUS-TCX-MTL-03**



TC201 Stylus

- Heavy-duty and made from stainless steel / brass. No plastic parts — real-pen feel. Can be used in rain.
- Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use. 5" length.
- Big improvement over rubber-tipped or plastic-tipped stylus.
- Compatible with all capacitive touch screen devices.
- Tether to device or hand strap using [SKU# SG-TC5NGTC7NG-TETHR-03](#).
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Tether

SKU# **SG-TC5NGTC7NG-TETHR-03**



TC201 Stylus Tether

- When hand strap is used, tether should attach to hand strap [SKU# SG-TC2L-HDSTPI-01](#) directly (not to terminal towel bar).
- String type tether prevents loss of stylus.
- NOTE: Other Zebra coiled tethers are not recommended for use with TC201 as they may interfere with other accessories.
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Trigger Handle

[Electronic Trigger Handle and Wrist Strap](#)

Trigger Handle

Electronic Trigger Handle and Wrist Strap

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Electronic Trigger Handle SKU# TRG-TC2L-SNP1 -01	TC201 Electronic Trigger Handle WITH Rugged Boot • Uses electrical trigger via contacts on back side of TC201. • Trigger handle accessory offers customers the option of using the product in a gun form factor, ideal for scan-intensive situations. • Requires rugged boot SKU# SG-TCVT-BOOT-01 and device for attachment. • Compatible with both standard and extended capacity batteries. • Sold separately: Optional wrist strap SKU# SG-PD40-WLD1-01.
Wrist Strap SKU# 50-1 2500-066	Wrist Strap • Attaches to bottom of Snap-on Trigger Handle SKU# TRG-TC2L-SNP1-01. * Please note this accessory is a consumable and may require replacement during the device's lifespan.





Wearable Mounts

[Wrist Mounts](#)

[Replacement Single BOA Wrist Straps, Arm Sleeve](#)

[Replacement Wrist Straps, Comfort Pad](#)

Wearable Mounts

Wrist Mounts

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Arm / Wrist Mount SKU# SG-TC2L-ARMNT-01 	TC201 Arm / Wrist Mount with medium size length strap - Enables the TC201 to be mounted to the arm for hands free operation and can be used with the RS5100 / RS6100 (or similar) ring scanner. - Compatible with Standard or Extended Capacity battery. - Not compatible with Rugged Boot. - Includes: Medium length (30cm or 12 inches) Velcro wrist strap SKU# SG-TC2L-ARMSTRAP-01 and carrier comfort pad SKU# SG-TC2L-CMPD-01. * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Arm / Wrist Mount SKU# SG-TC2L-ARMNT-02 	TC201 Arm / Wrist Mount with large size length strap - Enables the TC201 to be mounted to the arm for hands free operation and can be used with the RS5100 / RS6100 (or similar) ring scanner. - Compatible with Standard or Extended Capacity battery. - Not compatible with Rugged Boot. - Includes: Large sized (33cm or 13 inches) Velcro wrist strap SKU# SG-TC2L-ARMSTRAP-02 and carrier comfort pad SKU# SG-TC2L-CMPD-01. * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Arm / Wrist Mount SKU# SG-TC2L-WMADP1 -02 	TC201 Arm / Wrist Mount with Single BOA - Wrist mount with extended BOA dial-to-fit wrist strap. - Swivel design allows device to be viewed in portrait or landscape mode enabling hands- free functionality. - Velcro-free design uses non-absorbent materials that can be wiped down. - Strap length can be adjusted between 164 to 265mm (approx. 6.5 to 10.5") - Not compatible with Rugged Boot. - Includes: Carrier, Comfort Pad SKU# SG-TC2L-CMPD-01 and medium / large sized wrist strap SKU# SG-NGWT-WSTPLN-01. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Wearable Mounts

Replacement Single BOA Wrist Straps, Arm Sleeve

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Replacement Wrist Strap, Small SKU# SG-NGWT-WSTPST-01 	Replacement Wrist Strap With Single Dial, Small - White dial and accent color on strap identify size as standard (small / medium). - Strap length can be adjusted between 128 to 191mm (approx. 5.0 to 7.5"). * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Large SKU# SG-NGWT-WSTPLN-01 	Replacement Wrist Strap With Single Dial, Large - Black dial and accent color on strap identify size as extended (medium / large). - Strap length can be adjusted between 164 to 265mm (approx. 6.5 to 10.5"). * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Extra-Large SKU# SG-NGWT-WSTPXL-01 	Replacement Wrist Strap With Single Dial, Extra-Large - Blue dial and accent color on strap identify size as extra-large. - Strap length can be adjusted between 218 to 375 mm (approx. 8.5 to 14.75"). * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Arm Sleeve SKU# SG-WT4027050-01 R 	Arm Sleeve – Pack of Five - Worn under wrist mount strap if worker is in short-sleeved shirt and wants extra sweat wicking / personal layer, comfort and slip-resistance - Material will not snag. One size fits all. - Washable in mild detergent. Should be air dried. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Wearable Mounts

Replacement Wrist Straps, Comfort Pad

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Replacement Wrist Strap, Small SKU# SG-TC2L-ARMSTRAP-01 	Replacement Wrist Strap with Medium Velcro Strap - Replaces the Velcro strap included for SKU# SG-TC2L-ARMNT-01 - Comes in size large with strap length of 300mm or 12" * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Wrist Strap, Large SKU# SG-TC2L-ARMSTRAP-02 	Replacement Wrist Strap With Single Dial, Large - Replaces the Velcro strap included for SKU# SG-TC2L-ARMNT-02 - Comes in size large with strap length of 330mm or 13" * Please note this accessory is a consumable and may require replacement during the device's lifespan.
Replacement Comfort Pad SKU# SG-TC2L-CMPD-01 	Replacement Comfort Pad - Replaces the Comfort Pad included on either SKU# SG-TC2L-ARMNT-01 or SKU# SG-TC2L-ARMNT-02 or SKU# SG-TC2L-WMADP1-02. - Soft Rubber material. - Easily removable and hygienic. * Please note this accessory is a consumable and may require replacement during the device's lifespan.

Headsets

[Close gaps, Open possibilities with Workcloud Sync](#)

Usher in a new era of transformation—one led by your frontline and powered by Zebra Workcloud Sync. One where communication and information flows freely and gaps between teams, workflows and data are closed.

With Workcloud Sync, hindered workers become effective problem solvers, contributing their best. Critical workflows are streamlined in one place, on one device, equipping workers with the information they need, right at their fingertips.

Only Zebra offers the most complete lineup of software and rugged hardware with the scalability, support and service needed to make the greatest impact where it counts—on the frontline.

Learn more about how you can elevate your frontline workers with Zebra Workcloud Sync.

[Rugged Bluetooth and Wired HD voice headsets for the most demanding industrial environments](#)

When it comes to enabling speech-driven applications and voice communications in warehouses, manufacturing plants and outdoor yards, you need a headset that is specially designed for the job. The HS3100 Bluetooth Headsets are loaded with features that offer everything you need in an industrial headset.

[Learn more about how these headsets deliver a superior voice experience](#)

Wireless headsets and accessories for voice-directed picking

Headsets

Wired Headset for Workcloud Sync

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
Wired Headset SKU# HDST-USBC-PTT1 -01 	PTT headset with USB-C connector; one-piece solution. • For Push-To-Talk (PTT) applications with volume up / volume down / PTT buttons. Compatible with PTT Express / PTT Pro. • Rotating earpiece allows for right or left ear configuration. Mono headset with microphone. • Includes clip for attaching PTT button to clothing.

Headsets

Rugged Bluetooth Headset

[Cradles](#)

[Batteries](#)

[Power Supplies,](#)
[Cables and](#)
[Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable](#)
[Mounts](#)

[Headsets](#)

[Workstation](#)
[Connect Cradle](#)

[Third Party](#)
[Accessories](#)

[Back to Table of](#)
[Contents](#)

Item/SKU#	Description
HS21 00 Wired Headset SKU# HS21 00-OTH 	HS21 00 Rugged Wired Headset • HS2100 Rugged Wired Headset Over-The-Head Headband includes HS2100 Boom Module and HSX100 OTH Headband Module

Headsets

Rugged Bluetooth Headset

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#	Description
HS31 00 Bluetooth Headset SKU# HS31 00-OTH 	HS31 00 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes HS3100 Boom Module and HSX100 OTH Headband Module
HS31 00 Bluetooth Headset SKU# HS31 00-BTN-L 	HS31 00 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset (Behind-the-neck headband left)
HS31 00 Bluetooth Headset SKU# HS31 00-OTH-SB 	HS31 00 Rugged Bluetooth Headset HS3100 Rugged Bluetooth Headset (Over-the-head headband) includes HS3100 Shortened Boom Module and HSX100 OTH headband module
HS31 00 Bluetooth Headset SKU# HS31 00-SBOOM-01 	HS31 00 Rugged Bluetooth Boom Module HS3100 Shortened Boom Module (includes microphone boom, battery and wind screen)

Workstation Connect Cradle

Introducing the new Connect Cradle (Workstation) for TC201 mobile computers. This accessory allow for the TC201 mobile computer to connect to multiple purpose-built peripherals and enable Zebra Workstation Connect on an external monitor. The Connect Cradle offers connections for standard workstation setups (monitor, keyboard, mouse).

Workstation Connect Cradle

TC201 Connect Cradle

[Cradles](#)

[Batteries](#)

[Power Supplies,
Cables and
Adapters](#)

[Soft Goods](#)

[Trigger handle](#)

[Wearable
Mounts](#)

[Headsets](#)

[Workstation
Connect Cradle](#)

[Third Party
Accessories](#)

[Back to Table of
Contents](#)

Item/SKU#

Description

Workstation Cradle

SKU# **CRD-TC2L-1 SNWS-01**



TC201 Connect Cradle

- This connect cradle, allows users to use TC201 device as a workstation or kiosk. Includes HDMI, Ethernet, USB-A (x4) ports, shims, and 3.5mm headset jack. Power supply, DC line cord and AC line cord are all sold separately.
- Sold Separately: Power Supply ([PWR-BGA12V50W0WW](#)), DC Cable ([CBL-DC-388A2-01](#)), and Country-Specific AC Line Cord ([listed in this document](#)).

Power Supply

SKU# **PWR-BGA1 2V50W0WW**



Power Supply for Workstation Connect Cradle

- 100-240 VAC, 12VDC, 4.16A.

DC Cable

SKU# **CBL-DC-388A2-01**



DC Cable for Workstation Connect Cradle

- 12 VDC, 4.16A 1.8m length.

Third Party Accessories

[RAM Pogo Pin Docks](#)

[ProClip Vehicle Cradles](#)

Pogo Pin Docks

for Zebra TC201

Support everyday work environments with pogo pin charging docks for the TC201. Mount in a variety of different environments using RAM® mounting solutions.



Pogo Pin Charging

Protect the charge port. Each powered RAM® dock comes equipped with pogo pin docking contacts for this seamless charging experience.

PART NUMBER	DEVICE	LOCKS	CONNECTOR
3PTY-RAM-HOL-ZE24U	TC201 w/ Boot		-
3PTY-RAM-HOL-ZE24LU	TC201 w/ Boot	•	-
3PTY-RAM-HOL-ZE24PU	TC201 w/ Boot		USB-A Passive
3PTY-RAM-HOL-ZE24PLU	TC201 w/ Boot	•	USB-A Passive
3PTY-RAM-HOL-ZE24-1U	TC201 no Boot		-
3PTY-RAM-HOL-ZE24L-1U	TC201 no Boot	•	-
3PTY-RAM-HOL-ZE24P-1U	TC201 no Boot		USB-A Passive
3PTY-RAM-HOL-ZE24PL-1U	TC201 no Boot	•	USB-A Passive

Ways to Mount



Post Clamp

Heavy duty metal base clamps to square posts up to 4-inches thick, such as forklifts.

3PTY-RAM-102U-B-247



Drill-Down

Choose a semi-permanent location with a flat surface and secure using proper fastening hardware.

3PTY-RAM-138U



TC201 CRADLES



NON-CHARGE



POGO-PIN

- Non-charge or Pogo-pin connector options
- Channeled sidewalls guide the device for perfect docking
- Tilt-swivel on back can angle 15 degrees for optimal viewing
- Works with hand strap and extended battery
- Custom-fit to the device

- Drop-in style for easy one-handed docking and undocking
- Holds the device firmly and securely in place
- Made from durable ABS and Acetal plastic
- Designed for MIL-STD standard vehicle vibration
- For a complete mounting solution pair this cradle with an AMPS compatible mount

TC201 Cradles and Accessories

TC201 Cradles					
PART #	CIG PLUG POWER	HARD WIRED POWER	NON-CHARGE	POGO PIN CONNECTOR	RUGGED BOOT
3PTY-PCLIP-712348	•			•	•
3PTY-PCLIP-713348		•		•	•
3PTY-PCLIP-711348			•	•	•

TC201 Power Supplies			
PART #	CIG PLUG POWER	HARD WIRED POWER	POGO PIN CONNECTOR
3PTY-PCLIP-945081		•	•
3PTY-PCLIP-945082	•		•

Complete TC201 Product Line ► [Zebra TC201 Cradles](#)

Mounting Options for a Complete Solution ► [Pedestal Mounts](#) | [Forklift Mounts](#)

Or Contact Us ► sales@proclipusa.com

EXPLORE OUR
ZEBRA PRODUCT LINE



RUGGED CHARGING HOLDER FOR ZEBRA TC22/TC27/TC201 MOBILE COMPUTERS



BUILT FOR CHALLENGING ENVIRONMENTS

- Ideal for demanding applications such as field mobility, warehousing, & retail
- Compatible with & without rugged boot
- Charging via user-replaceable USB-C cable
- Easy access to all controls including power, PTT, volume & scanner
- Supports extended battery & hand strap
- Integrated AMPS mounting pattern
- Compact & lightweight composite design



DETAILS

PART NUMBER

3PTY-DS-ZEB-601	Havis rugged charging holder for TC22 / TC27 /TC201 with rugged boot
3PTY-DS-ZEB-602	Havis rugged charging holder for TC22 / TC27 /TC201 without rugged boot
3PTY-PKG-DS-ZEB-601	Havis rugged charging holder for TC22 / TC27 /TC201 with rugged boot with USB-C accessory plug
3PTY-PKG-DS-ZEB-602	Havis rugged charging holder for TC22 / TC27 /TC201 without rugged boot with USB-C accessory plug

